



## WELDED PROFILES - SQUARE AND RECTANGULAR CROSS-SECTION (WELD IN VERTICAL AXIS)




Dimension A [mm]	Dimension B [mm]	Wall thickness [mm]					
		1,20	1,50	1,80	2,00	2,50	3,00
		Weight [kg/m]					
35,0	45,0	1,417	1,754	2,085	2,301	2,859	3,337
40,0	40,0	1,417	1,754	2,085	2,301	2,859	3,337
40,0	50,0	1,606	1,990	2,367	2,615	3,221	3,808
40,0	60,0	1,794	2,225	2,650	2,929	3,614	4,279
42,5	39,5	1,455	1,801	2,141	2,364	2,907	3,431
45,0	45,0	1,606	1,990	2,367	2,615	3,221	3,808
50,0	30,0	1,417	1,754	2,085	2,301	2,859	3,337
50,0	40,0	1,606	1,990	2,367	2,615	3,221	3,808
55,0	45,0	1,794	2,225	2,650	2,929	3,614	4,279
60,0	40,0	1,794	2,225	2,650	2,929	3,614	4,279

## WELDED PROFILES - SQUARE AND RECTANGULAR CROSS-SECTION (WELD OUT OF AXIS)

Name	Drawing with main dimensions [mm]	Wall thickness [mm]	Weight [kg/m]
04-11531	 <p>The drawing shows a square profile with a height of 42,5 mm and a width of 39,5 mm. A weld is shown on the top-right corner, labeled 'WELD' with an arrow pointing to the corner.</p>	1,75	2,072

## WELDED PROFILES - CIRCULAR CROSS-SECTION



Outside diameter P [mm]	Wall thickness [mm]					
	1,20	1,50	1,80	2,00	2,50	3,00
	Weight [kg/m]					
30,00	0,786	0,972	1,153	1,271	1,558	1,833
38,00	1,023	1,268	1,508	1,666	2,051	2,424
38,30	1,032	1,279	1,521	1,680	2,070	2,447
41,28	1,085	1,345	1,601	1,769	2,181	2,580
48,00	1,319	1,638	1,952	2,159	2,668	3,164
48,30	1,328	1,649	1,965	2,174	2,686	3,187
51,00	1,408	1,749	2,085	2,307	2,853	3,386
60,00	1,674	2,082	2,485	2,751	3,408	4,052
60,30	1,683	2,093	2,498	2,766	3,426	4,074